



LED T8 Ballast Compatibility Chart

Ballast Brand*	Part Number	# Of Lamps	Start Method	1 Lamp			2 Lamps			3 Lamps			4 Lamps		
				120V	277V	347V	120V	277V	347V	120V	277V	347V	120V	277V	347V
ACT	ACT 2P32ISUNVE	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Antron Electronics	A32T8MICLO	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Arcata	ACT 3P32ISUNVLE	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Cooper Lighting	CL-432ISUNV-R1-B	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Damar	EL232DIM/120/277HF	2	DPS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Damar	EL232-120/277HF(1688B)	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Damar	EL232HL-120/277HF(1688D)	2	IS	NC	NC	-	✓	✓	-	-	-	-	-	-	-
Damar	EL332-120/277HF(3654C)	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Damar	EL332HL-120/277HF(3654H)	3	IS	-	-	-	NC	NC	-	✓	P	-	-	-	-
Damar	EL432-120/277HF(3093B)	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Damar	EL432HL-120/277HF(3093C)	4	IS	-	-	-	-	-	-	NC	NC	-	✓	✓	-
Ecosystem	EC5T832GUNV3L	3	PRS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Eiko	PM-2X32T8-UNV-IS-L	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Eiko	PM-3X32T8-UNV-IS	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Eiko	PM-3X32T8-UNV-IS-H	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Eiko	PM-3x32T8-UNV-PS	3	PS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Eiko	PM-3x32T8-UNV-PS-H	3	PS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Eiko	PM-3X32T8-UNV-IS-L	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Eiko	PM-4X32T8-UNV-IS	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Eiko	PM-4X32T8-UNV-IS-L	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Eiko	PM-2X32T8-UNV-IS	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Eiko	PM-2x32T8-UNV-IS-H	2	IS	NC	NC	-	✓	✓	-	-	-	-	-	-	-
Espen	VE232MVHIPE	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Espen	VE232MVHIPHE	2	IS	NC	NC	-	✓	✓	-	-	-	-	-	-	-
Espen	VE232MVHIPL	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Espen	VE2P32MVHIPE	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Espen	VE4P32MVHIPE	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Fusion	FB432347E-N	4	IS	-	-	-	-	-	-	-	-	✓	-	-	✓
Fusion	FB232347E-N	2	IS	-	-	✓	-	-	✓	-	-	-	-	-	-
Fusion	FB232MVE-N	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Fusion	FB432MVE-N	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
General Electric	GE-232-MV-N	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
General Electric	GE232MAX-N/ULTRA	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
General Electric	GE432MAX-H/ULTRA	4	IS	-	-	-	-	-	-	NC	NC	-	✓	✓	-
General Electric	GE432MAX-L/ULTRA	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
General Electric	GE-232-MAX-H/Ultra	2	IS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
General Electric	GE432MAX-G-N	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
General Electric	GE132MAX-G-N	1	IS	NC	NC	-	-	-	-	-	-	-	-	-	-
General Electric	GE132MAX-H/ULTRA	1	IS	NC	NC	-	-	-	-	-	-	-	-	-	-
General Electric	GE132MAX-L/ULTRA	1	IS	NC	NC	-	-	-	-	-	-	-	-	-	-
General Electric	GE132MAXP-N/ULTRA	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
General Electric	GE232MV-N-DIY	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
General Electric	GE232MAX-L/ULTRA	2	IS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
General Electric	GE232MAX347-N	2	IS	-	-	NC	-	-	NC	-	-	-	-	-	-
General Electric	GE332MV-N	3	IS	-	-	-	✓	P	-	✓	P	-	-	-	-
General Electric	GE332MAX-N/ULTRA	3	IS	-	-	-	✓	P	-	✓	P	-	-	-	-
General Electric	GE332MAX-L/ULTRA	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
General Electric	GE332MAX-G-N	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
General Electric	GE332MAXP-H/ULTRA	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
General Electric	GE432-120-RES	4	IS	-	-	-	-	-	-	✓	-	-	✓	-	-
General Electric	GE432MV-N-42T	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
General Electric	GE432MAX-N/ULTRA	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
General Electric	GE432MAX347-N	4	IS	-	-	-	-	-	-	-	-	✓	-	-	✓
General Electric	GE232MAXP90-V60	2	IS	NC	NC	-	✓	✓	-	-	-	-	-	-	-
General Electric	GE332MAXP90-V60	3	IS	-	-	-	NC	NC	-	✓	✓	-	-	-	-
General Electric	GE432MAXP90-S60	4	IS	-	-	-	-	-	-	NC	NC	-	✓	✓	-
General Electric	GE232-MVPS-N	2	PS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
General Electric	GE432MVPS-N-V03	4	DPS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
General Electric	GE-232-MV-PS-N	2	PS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
General Electric	GE132MVPSN-V03	1	DPS	NC	NC	-	-	-	-	-	-	-	-	-	-
General Electric	GE-332-MVPS-H	3	PS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
General Electric	GE432MAXP-H/ULTRA	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
General Electric	GE432MAX90-S60	4	IS	-	-	-	-	-	-	NC	NC	-	✓	✓	-
General Electric	GE332MAXP-L/ULTRA	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
General Electric	GE232MAX-G-N	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
General Electric	GE-232-MAX-H-42T	2	IS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
General Electric	GE432MAX-H-42T	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
General Electric	332MAX-H-84TS	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
General Electric	332MAX-H-42T	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
General Electric	GE432MAX-G-H	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Halco	EP232IS/MV/HE	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Halco	EP332IS/MV/HE	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Halco	EP432IS/MV/HE	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Halco	EP432IS/L/MV/HE	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Halco	EP232IS/L/MV/HE	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Halco	EP232IS/H/MV/HE	2	IS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Halco	EP332IS/L/MV/HE	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-



LED T8 Ballast Compatibility Chart

Ballast Brand*	Part Number	# Of Lamps	Start Method	1 Lamp			2 Lamps			3 Lamps			4 Lamps		
				120V	277V	347V	120V	277V	347V	120V	277V	347V	120V	277V	347V
Halco	EP432IS/120/MC	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Hatch	HL232BIS/UV/HE/W	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Hatch	HL432BIS/UV/HE/W	4	IS	-	-	-	-	-	-	✓	P	-	✓	✓	-
Howard Industries	EPH4/32IS/MV/SC/HE	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Howard Industries	EP3/32IS/MV/SC/HE	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Howard Industries	EPL4/32IS/MV/MC/HE	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Howard Industries	EPH2/321S/MV/MC/HE	2	IS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Howard Industries	E2/32IS-120MC	2	IS	P,T	-	-	P,T	-	-	-	-	-	-	-	-
Howard Industries	EPL2/32IS/MV/MC/HE	2	IS	✓	P,T	-	✓	✓	-	-	-	-	-	-	-
Howard Industries	EPL3/32IS/MV/SC/HE	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Howard Industries	EP4/32IS/MV/MC/HE	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Howard Industries	EP2/32IS/MV/MC/HE	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Howard Industries	EP3/32IS/MV/MC/HE	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Howard Industries	EPH3/32IS/MV/MC/HE	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Keystone	KTEB-232-UV-IS-N-P	2	IS	✓	✓	-	✓	NC	-	-	-	-	-	-	-
Keystone	KTEB-232-UV-PS-VDIM	2	PS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Keystone	KTEB-232-UV-PS-H-P	2	PS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Keystone	KTEB-332-UV-PS-H-P	3	PS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Keystone	KTEB-432RIS-1-TP-SL	4	IS	-	-	-	-	-	-	P,T	-	-	P,T	-	-
Keystone	KTEB-332-UV-IS-N-P	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Keystone	KTEB-432-UV-IS-N-P	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Keystone	KTEB-232LBF-1-TP-PIC-EV	2	IS	✓	-	-	✓	-	-	-	-	-	-	-	-
Keystone	KTEB-232-UV-IS-H-P	2	IS	NC	NC	-	✓	P	-	-	-	-	-	-	-
Keystone	KTEB-332-UV-IS-H-P	3	IS	-	-	-	NC	NC	-	✓	✓	-	-	-	-
Keystone	KTEB-432-UV-IS-H-P	4	IS	-	-	-	-	-	-	NC	NC	-	✓	✓	-
Keystone	KTEB-432-UV-IS-N-P-EMI	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Lighting Products Limited	EB-332EBF-UV-TP-HE	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Lutron	EHDT817MU210	2	DPRS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Lutron	H3DT832CU210	2	PRS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Maxlite	SKEU322HEL/SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Maxlite	SKEU324HE/SC	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Maxlite	SKEU323L/SC	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Maxlite	MLEU322HEL/SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Maxlite	MLEU323H/SC	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Maxlite	MLEU324HE/SC	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Motorola	M2-IN-T8-GP-D-277	2	IS	-	✓	-	-	✓	-	-	-	-	-	-	-
Osram Sylvania	QTP 2X32T8/UNV ISN-SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Osram Sylvania	QHE 2X32T8/UNV ISN-SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Osram Sylvania	QHE 2X32T8/UNV ISL-SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Osram Sylvania	QHE 3X32T8/UNV ISH-SC	3	IS	-	-	-	NC	NC	-	✓	✓	-	-	-	-
Osram Sylvania	QHE 4X32T8/UNV ISN-SC	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Osram Sylvania	QHE 4X32T8/UNV ISL-SC	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Osram Sylvania	QHE 1X32T8/UNV ISN-SC	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
Osram Sylvania	QHE 1X32T8/UNV ISL-SC	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
Osram Sylvania	QHE 2X32T8/UNV ISH-SC	2	IS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Osram Sylvania	QTP 3X32T8/UNV ISN-SC	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Osram Sylvania	QHE 3X32T8/UNV ISN-SC	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Osram Sylvania	QHE 3X32T8/UNV ISL-SC	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Osram Sylvania	QHE 4X32T8/UNV PSX-SC	4	PRS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Osram Sylvania	QHE 2X32T8/UNV PSN-MC	2	PRS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Osram Sylvania	QTP 3X32T8/UNV PSX-SC	3	PRS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Osram Sylvania	QTP3X32T8/UNV PSN-SC	3	PRS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Osram Sylvania	QHE 4X32T8/UNV PSN-SC	4	PRS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Osram Sylvania	QTP2x32T8/UNV DIM-TC	2	DPS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Osram Sylvania	QHE 1X32T8/UNV DIM-TC	1	DPS	✓	✓	-	-	-	-	-	-	-	-	-	-
Osram Sylvania	QHE 3X32T8/UNV PSH-HT-SC	3	PRS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Osram Sylvania	QHE 4X32T8/UNV DIM-TCL	4	DPS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Osram Sylvania	QHE 3X32T8/UNV DIM-TCL	3	DPS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Osram Sylvania	QHES 2x32T8/UNV PSL-SC	2	PRS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Osram Sylvania	QTP2x32T8/277 ISN-D	2	IS	-	✓	-	-	✓	-	-	-	-	-	-	-
Osram Sylvania	QHE 3x32T8/UNV ISH HT-SC	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Osram Sylvania	QTP 2X32T8/UNV ISL-SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Osram Sylvania	QHE 2X32T8/UNV ISH HT-SC	2	IS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Osram Sylvania	QHE 4x32T8/UNV ISH-SC	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Osram Sylvania	QT 2x32/347 ISH-SC	2	IS	-	-	NC	-	-	NC	-	-	-	-	-	-
Osram Sylvania	QHE 1X32T8/UNV ISH-SC	1	IS	NC	NC	-	-	-	-	-	-	-	-	-	-
Pacific Fluorescent	EB-232IS-120-RES	2	IS	✓	-	-	✓	-	-	-	-	-	-	-	-
Philips-Advance	ICN-2P32-N	2	IS	NC	NC	-	✓	✓	-	-	-	-	-	-	-
Philips-Advance	IOPA-2P32-N	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Philips-Advance	IOP-2P32-N	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Philips-Advance	IOP-2P32-LW-N	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Philips-Advance	IOPA-3P32-LW-N	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Philips-Advance	IOPA-4P32-HL-SC	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Philips-Advance	IOP-4P32-N	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Philips-Advance	IOP-4P32-LW-N	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Philips-Advance	ICN-4P32-N	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Philips-Advance	IOP-1P32-N	1	IS	NC	NC	-	-	-	-	-	-	-	-	-	-
Philips-Advance	IOP-2P32HL-SC	2	IS	NC	NC	-	NC	NC	-	-	-	-	-	-	-



LED T8 Ballast Compatibility Chart

Ballast Brand*	Part Number	# Of Lamps	Start Method	1 Lamp			2 Lamps			3 Lamps			4 Lamps		
				120V	277V	347V	120V	277V	347V	120V	277V	347V	120V	277V	347V
Philips-Advance	ICN-1P32-N	1	IS	NC	NC	-	-	-	-	-	-	-	-	-	-
Philips-Advance	IOPA-1P32-N	1	IS	NC	NC	-	-	-	-	-	-	-	-	-	-
Philips-Advance	REB-2P32-SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Philips-Advance	IOPA-3P32-N	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Philips-Advance	IOP-3P32-N	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Philips-Advance	REB-4P32-SC	4	IS	-	-	-	-	-	-	✓	-	-	✓	-	-
Philips-Advance	IOP-4P32-HL-SC	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Philips-Advance	IOP-2PSP32-N	2	PS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Philips-Advance	IOP-3PSP32-SC	3	PS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Philips-Advance	IOP-3PSP32-LW-SC	3	PS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Philips-Advance	IOP-4PSP32-LW-SC	4	PS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Philips-Advance	IOP-2S32-SC	2	PS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Philips-Advance	IZT-2S32-SC	2	DPS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Philips-Advance	IOP-2PSP32-LW-N	2	PS	NC	NC	-	✓	✓	-	-	-	-	-	-	-
Philips-Advance	REZ-3S32-SC	3	DPS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Philips-Advance	REZ-2S32-SC	2	DPS	NC	NC	-	✓	✓	-	-	-	-	-	-	-
Philips-Advance	IZT-3PSP32-SC	3	DPS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Philips-Advance	REZ-132-SC	1	RS	NC	NC	-	-	-	-	-	-	-	-	-	-
Philips-Advance	VZT-4S32-HL	4	DPS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Philips-Advance	IOP-1S32-SC	1	PS	NC	NC	-	-	-	-	-	-	-	-	-	-
Philips-Advance	ICN-3P32-N	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Philips-Advance	VEL-2P32-SC	2	IS	-	✓	-	-	✓	-	-	-	-	-	-	-
Philips-Advance	IOPA-2P32-HL-N	2	IS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Philips-Advance	IOP-3P32HL-90C-SC	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Philips-Advance	IOP-4P32-SC	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Philips-Advance	IOPA-4P32-SC	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Philips-Advance	ICN-132-MC	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
Philips-Advance	ICN-2P16-TLED-N	2	IS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Philips-Advance	ICN-4P16-TLED-N	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Philips-Advance	ICN-3P32-SC	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Philips-Advance	VEL-3P32-SC	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Philips-Advance	GOPA-2P32-N	2	IS	-	-	NC	-	-	NC	-	-	-	-	-	-
Philips-Advance	IOPA-4P32-HL	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Philips-Advance	ICN-2P32-SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Philips-Advance	IOPA-2P32-LW-N	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Philips-Advance	IOP-1P32-LW-N	1	IS	✓	P	-	-	-	-	-	-	-	-	-	-
Philips-Advance	IOP-1P32-SC	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
Philips-Advance	IOP-2P32-LW-SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Philips-Advance	IOP-3P32-LW-SC	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Philips-Advance	IOP-4P32-LW-SC	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Philips-Advance	IOP-1P32-LW-SC	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
Philips-Advance	ICN-3P16-TLED-N	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Plusrite	BAF232IS/MV	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Plusrite	BAF332IS/MV	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Plusrite	BAF232IS/MV/L	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Plusrite	BAF332IS/MV/L	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Plusrite	BAF432IS/MV	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Plusrite	BAF432IS/MV/L	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Prolume	EP232IS/L/MV/SL	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Prolume	E432IS/120/R/SL	4	IS	-	-	-	-	-	-	P,T	-	-	P,T	-	-
Sola	E-758-U-232-MC	2	IS	✓	P	-	✓	✓	-	-	-	-	-	-	-
Sunpark	U-1/32PSE	1	PS	✓	✓	-	-	-	-	-	-	-	-	-	-
Sunpark	U-2/32PSE	2	PS	NC	NC	-	✓	✓	-	-	-	-	-	-	-
Sunpark	U-2/32PSE-HBF	2	PS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Sunpark	U-232PS3	2	DPS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Sunpark	U-232PS3-HBF	2	DPS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Sunpark	SL15T	2	?	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Sunpark	LC 12011T	1	PS	NC	NC	-	-	-	-	-	-	-	-	-	-
Sunpark	LC 12013T	1	PS	NC	NC	-	-	-	-	-	-	-	-	-	-
Sunpark	120-1/32IS HPF	1	IS	✓	-	-	-	-	-	-	-	-	-	-	-
Sunpark	U-2/32ISE-LBF	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Sunpark	U-3/32ISE	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Sunpark	U-3/32ISE-HBF	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Sunpark	120-3/32IS MPF	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Sunpark	U-4/32IS HP,F	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Sunpark	U-4/32IS HBF	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Sunpark	U-4/32ISE-LBF	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Superior Life	70211	4	?	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Superior Life	70201	2	IS	✓	T	-	✓	✓	-	-	-	-	-	-	-
Sylvania	QT 3x32/277 IS	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Sylvania	QT 2x32277 IS-SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Sylvania	QT 2X32/347LP	2	IS	-	-	NC	-	-	NC	-	-	-	-	-	-
Sylvania	QT 4X32/347LP	4	IS	-	-	-	-	-	-	-	-	T	-	-	T
TCP	E4P32ISUNVLE	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
TCP	E3P32ISUNVE	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
TCP	E3P32ISUNVLE	3	IS	-	-	-	P	✓	-	P	✓	-	-	-	-
TCP	E4P32ISUNVE	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
TCP	E4P32ISUNVHE	4	IS	-	-	-	-	-	-	NC	NC	-	✓	✓	-



LED T8 Ballast Compatibility Chart

Ballast Brand*	Part Number	# Of Lamps	Start Method	1 Lamp			2 Lamps			3 Lamps			4 Lamps		
				120V	277V	347V	120V	277V	347V	120V	277V	347V	120V	277V	347V
TCP	TCP3P32ISUNVH	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
TCP	E3P32ISUNVHE	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Topaz	B232IUNVHEH/A-TPZ	2	IS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Topaz	B432IUNVHEH/A-TPZ	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Universal Lighting Technologies	B232IUNVHP-N	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Universal Lighting Technologies	B232IUNVEL-A	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Universal Lighting Technologies	B233IUNVHE-A	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Universal Lighting Technologies	B432IUNVHE L-A	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Universal Lighting Technologies	B232IUNVHEH-A	2	IS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Universal Lighting Technologies	B332IUNVHP-A	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Universal Lighting Technologies	B432IUNVHP-A	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Universal Lighting Technologies	B232I120RES-A	2	IS	✓	-	-	✓	-	-	-	-	-	-	-	-
Universal Lighting Technologies	B432PUNVHE-A	4	PS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Universal Lighting Technologies	B232PUNVHE-B	2	PS	✓	P	-	✓	✓	-	-	-	-	-	-	-
Universal Lighting Technologies	B332PUNVHE-A	3	PS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Universal Lighting Technologies	B332PUNVHEH-A	3	PS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Universal Lighting Technologies	B232PU104S50A	2	PRS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Universal Lighting Technologies	B232PUS50-A	2	PRS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Universal Lighting Technologies	B232SR277S30	2	RS	NC	NC	-	NC	NC	-	-	-	-	-	-	-
Universal Lighting Technologies	B132IUNVHP-N	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
Universal Lighting Technologies	B232IUNVHP-B	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Universal Lighting Technologies	B232IUNV-C	2	IS	NC	NC	-	✓	✓	-	-	-	-	-	-	-
Universal Lighting Technologies	B432IUNVHE-A	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Universal Lighting Technologies	B432IUNVHEH-E	4	IS	-	-	-	-	-	-	NC	NC	-	NC	NC	-
Universal Lighting Technologies	B232I277RH-A	2	IS	-	P,T	-	-	✓	-	-	-	-	-	-	-
Universal Lighting Technologies	B332IHRVHB-E	3	IS	-	-	-	-	-	NC	-	-	NC	-	-	-
Universal Lighting Technologies	B132IUNVEL-A	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
Universal Lighting Technologies	B432I347HE-A	4	IS	-	-	-	-	-	-	-	-	✓	-	-	✓
Watran	DBG32N-MV-TP-PS-HL	3	PS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Watran	DB-232N-MV-TP-HE	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Watran	DB-332N-MV-TP-HE	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Watran	DB-432N-MV-TP-HE	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Watran	DB-432L-MV-TP-HE	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Watran	DB-232N-MV-TP-HE (SC)	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Work Horse	WHS3G-UNV-T8-IS	3	IS	-	-	-	NC	NC	-	NC	NC	-	-	-	-
Work Horse	WHS4G-UNV-T8-IS	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-

Applies to the following Satco products:

S21760, S21761, S21762, S21763

** Dimmable ballast
P PF <0.85
T THD >30%
NC Not compatible
NA Not applicable

Ballast Factors:
 L - Low
 N - Normal
 H - High

This list is current as of Aug. 2024. We are continuously testing for compatible ballasts. Please check back for updates.

* All trademarks are the property of their respective owners

110 Heartland Blvd.
 Brentwood, NY 11717
 PH 631-243-2022
 FX 631-243-2027

Distribution Centers
 New York, Florida,
 Texas, Washington,
 California, Puerto Rico

National Toll-Free
 800-43-SATCO
 (800-437-2826)
www.satco.com

Copyright© 2024
 Satco Products, Inc.
 All Rights Reserved.
 Rev: August 22, 2024